## IN THE CLAIMS

Please amend the claims as follows:

Claim 1 (Currently Amended): A process for preparing hydrogen cyanide by autothermal noncatalytic oxidation of one or more nitrogenous hydrocarbons or a nitrogenous hydrocarbon mixture in which the wherein said nitrogenous hydrocarbons, an oxygen-containing gas, with or without ammonia, with or without water, with or without a gas eontaining comprising nitrogen oxides and with or without other essentially inert feed gas constituents are introduced into a flame reaction zone, react in the flame reaction zone and a post-reaction zone at a temperature of from 1000 to 1800°C for a reaction time of 0.03 to 0.3 s to form a cleavage gas which comprises at least the constituents hydrogen cyanide, carbon oxides, hydrogen, water, ammonia, nitrogen, light hydrocarbons with or without other cleavage gas constituents, the atomic C/N ratio in the reaction zones being from 1 to 7 and the atomic air ratio  $\lambda_{\text{ato}}$  being <0.6, the said cleavage gas being cooled and separated.

Claim 2 (Currently Amended): A process as claimed in claim 1, wherein <u>said</u> ammonia is introduced into the said flame reaction zone.

Claim 3 (Currently Amended): A process as claimed in claim 1-or-2, wherein the said nitrogenous hydrocarbons used have a C/N ratio of from 1 to 5.

Claim 4 (Currently Amended): A process as claimed in claim 1-or 2, wherein the said nitrogenous hydrocarbons used have a C/N ratio of from 5 to 7.

Claim 5 (Currently Amended): A process as claimed in one of claims 1 to 4 claim 1, wherein the said nitrogenous hydrocarbons used are one or more residues.

Docket No. 262576US0PCT Preliminary Amendment

Claim 6 Currently Amended): A process as claimed in one of claims 1 to 5 claim 1,

wherein water is introduced into the said flame reaction zone.

Claim 7 (Currently Amended): A process as claimed in one of claims 1 to 6 claim 1,

wherein one or more additional essentially inert-behaving further feed gas constituents are

introduced into said flame reaction zone. the flame.

Claim 8 (Currently Amended): A process as claimed in claim 7, wherein the said

essentially inert-behaving further feed gas constituents comprise carbon oxides and/or

hydrogen obtained from the said cleavage gas.

Claim 9 (Currently Amended): A process as claimed in one of claims 1 to 8 claim 1,

wherein a nitrogen oxide containing said gas comprising nitrogen oxide is introduced into the

said flame reaction zone.

Claim 10 (Currently Amended): A process as claimed in one of claims 1 to 9 claim

1, wherein the said nitrogenous hydrocarbons or said hydrocarbon mixture mixtures used are

<u>are/is</u> introduced in liquid form into the <u>said</u> flame reaction zone.

Claim 11 (Currently Amended): A process as claimed in claim 10, wherein the said

nitrogenous hydrocarbons used are atomized to form liquid droplets having a mean particle

diameter of <100 µm.

4

Claim 12 (Currently Amended): A process as claimed in claim 10-or 11, wherein the said nitrogenous hydrocarbons or said hydrocarbon mixture is/are mixtures used are introduced as an aqueous emulsion into the said flame reaction zone.

Claim 13 (Currently Amended): A process as claimed in claim 12, wherein the said aqueous emulsion used is atomized to form liquid droplets having a particle diameter of <100 µm.

Claim 14 (Currently Amended): A process as claimed in one of claims 1 to 9 claim

1, wherein the said nitrogenous hydrocarbons used are introduced in the gaseous state into the said flame reaction zone.

Claim 15 (Currently Amended): A process as claimed in claim 14, wherein the said gaseous nitrogenous hydrocarbons are premixed with at least a part of the feed gas constituents selected from the group consisting of said oxygen-containing gas, said ammonia, the nitrogen oxide-containing said gas comprising nitrogen oxide, said water and the said essentially inert-behaving feed gas constituents, and the resultant gas mixture is introduced into the said flame reaction zone.

Claim 16 (Currently Amended): A process as claimed in one of claims 1 to 15 claim

1, wherein turbulent flow prevails in the said reaction zones.

Claim 17 (Currently Amended): A process as claimed in one of claims 1 to 16 claim

1, wherein the resultant cleavage gas comprises at least the constituents hydrogen cyanide,

Docket No. 262576US0PCT Preliminary Amendment

carbon oxides, hydrogen, water, ammonia, nitrogen and light hydrocarbons and the separation of the resultant said cleavage gas comprises the steps:

- (i) cooling the said cleavage gas to a temperature <300°C;
- (ii) removing <u>said</u> ammonia as ammonium sulfate or ammonium phosphate by gas scrubbing, with <u>to obtain</u> an ammonia-depleted cleavage gas <u>being obtained</u>;
- (iii) removing <u>said</u> hydrogen cyanide as aqueous hydrogen cyanide solution[[,]] <u>to</u>
  <u>obtain</u> a hydrogen cyanide-depleted and ammonia-depleted residual cleavage gas-being
  <u>obtained</u>;
- (iv) recovering hydrogen cyanide from the said aqueous hydrogen cyanide solution by distillation; and
- (v) where appropriate, partially recirculating the <u>said</u> residual cleavage gas to the said flame reaction zone.